

WHY VITAL?


wheelp you to rescue your harvest and to make more MONEY.«

Jörg MEYER Founder and CEO



IT GIVES YOU THE FULL CONTROL

Sanbio ® VITAL provides strong **protection** against plant parasitic worms (nematodes) and provides control of **growth** promoting factors through its special production technology.



YOUR BENEFIT



BE DIFFERENT

MULTI-FUNCTIONAL - THE BEST FROM EACH CATEGORY

Sanbio® VITAL combines **core functions** from each category. It works systemically, preventively and curatively with associated natural mechanisms.

FERTILIZER VITAL PROMOTER PESTICIDE

NUTRITION

elements and water

Optimal access to nutrients, trace


STIMULATION

Stimulation of vegetative system to control the vigor and growth

PROTECTION

Degrading of skin matrix of parasitic worms in eggs, larval and adult stage, penetration of pathogens to kill the host

INNOVATIVE PROGRAMMING MAKES THE DIFFERENCE



THE BEST A FARMER CAN GET

ORGANIC-MINERAL FERTILIZER/ACTIVATOR

Suitable for all crops



COMPOSITION

Algae / seaweed extract...20.0 %w/w Yucca extract..............30.0 %w/w Nitrogen.......4.5 %w/w Magnesium sulphate.......5.5 %w/w

TARGETED CONTROL BY BIOLOGICAL ACTION


Potent liquid formulation with 100% solubility

ACTIVATED

Iron-Sulphur-clusters to trigger protection and growth functions

MODE OF ACTION


SCIENCE AT WORK





UTILIZE YOUR FULL POTENTIAL

The raw material is activated in a special process: bio-catalytic stimulation by surface modification. The contained Iron-Sulphur-Clusters are encoded in an electromagnetic field. In the plant cell, the frequency-coded signals are transmitted from the clusters to the plant cell. This electromagnetic stimulation can affect specific phytohormones, proteins, amino acids, immune system and can trigger specific functions.







The selective secretion of polysaccharides - chitinase compounds leads to degrading of skin matrix of nematodes in egg, larval and adult stage. As a result, the permeability of worm skin is increased. Consequently, pathogens can penetrate the skin, weaken and kill the host.



Release of targeted compounds



3






WITH LARGE ROOTS COMES FULL ACCESS

The activation of proteins which contribute to root elongation regulates the asymmetric cell division and cell proliferation in the root meristem. The significantly enlarged root mass can absorbs much more water and nutrients and anchors the plant better in the soil.







ROOT SYSTEM

Development of root mass and root hairs to improve the supply

RECOVERY OF HEAVILY INFESTED CUCUMBER ROOTS



BEFORE TREATMENT
Heavily infested cucumber roots




2 WEEKS LATER
Development of new roots
(1 treatment per week)




8 WEEKS LATERTotal recovery of large root mass

DON'T ABDICATE THE ESSENSTIALS

Optimized utilization of water and nutrients helps you to save valuable irrigation and expensive fertilizer.





RESCUE YOUR HARVEST

JUST DO IT



5

Liter product

+500

liter water

=1

hectare

fertigation spray

(

preventive & curative care

1-2

applications

FARMER APPROVED





GET IN TOUCH WITH US

SANBOS GmbH



Geraer Strasse 14 D-06712 Gutenborn-Drossdorf Germany



+49 3441 53987-3



+49 3441 53987-4



info@sanbio.eu

youtube: sanbio sanbos



SANBIO

A brand of SANBOS.

